

Библиографија (одабрана)

1. Књиге, уџбеници, публикације

- 1.Kardiologija. Главни уредници: Ostožic M, Kanjuh V, Beleslin B. Beograd: Zavod za udžbenike, 2011.
- 2.Kardiologija Klinički vodić. Главни уредници: Beleslin B, Djordjević Dikić A, Giga V, Dobrić M. Beograd: Udruženje kardiologa Srbije, 2020.
- 3.Cardiologia Preventiva. Главни уредник: Beleslin B. Beograd: Udruženje kardiologa Srbije, 2023.

2. Оригинални радови публиковани у целини (JCR листа, ИФ)

- 1.Ostožic M, Picano E, Beleslin B, Djordjević-Dikic A, Distante A, Stepanovic J, Reisenhofer B, Babic R, Stojkovic S, Nedeljkovic M, Stankovic G, Simeunovic S, Kanjuh V. Dipyridamole-dobutamine echocardiography: A novel test for the detection of milder forms of coronary artery disease. *J Am Coll Cardiol* 1994; 23: 1115-1122.
2. Beleslin B, Ostožic M, Stepanovic J, Djordjević-Dikic A, Stojkovic S, Nedeljkovic M, Stankovic G, Petrasinovic Z, Gojkovic Lj, Vasiljevic-Pokrajcic Z, Nedeljkovic S. Stress echocardiography in the detection of myocardial ischemia: Head-to-head comparison of exercise, dobutamine, and dipyridamole tests. *Circulation* 1994; 90: 1168-1176.
3. Ostožic M, Beleslin B. Stress echocardiography in the detection of myocardial ischemia: Head-to-head comparison of exercise, dobutamine and dipyridamole (letter to editor). *Circulation* 1995; 91:2499. M21a
4. Ostožic M, Picano E, Beleslin B, Djordjević-Dikic A, Distante A, Stepanovic J, Stojkovic S, Nedeljkovic M, Stankovic G, Saponjski J, Kanjuh V, L'Abbate A, Nedeljkovic S. Dipyridamole and dobutamine: Competitors or allies in pharmacological stress echocardiography. *Eur Heart J* 1995; 16 (Suppl. J):26-30.
5. Djordjević-Dikic A, Ostožic M, Beleslin B, Stepanovic J, Petrasinovic Z, Babic R, Stojkovic S, Stankovic G, Nedeljkovic M, Nedeljkovic I, Kanjuh V. High dose adenosine stress echocardiography for noninvasive detection of coronary artery disease. *J Am Coll Cardiol* 1996; 28:1689-1695.
6. Beleslin BD, Ostožic M, Djordjević-Dikic A, Nedeljkovic M, Stankovic G, Stojkovic S, Babic R, Stepanovic J, Saponjski J, Marinkovic J, Vasiljevic-Pokrajcic Z, Kanjuh V. Coronary vasodilation without myocardial erection: Simultaneous hemodynamic, echocardiographic and arteriographic findings during adenosine and dipyridamole infusion. *Eur Heart J* 1997; 18:1166-1174.
7. Beleslin B, Ostožic M, Djordjević-Dikic A, Babic R, Nedeljkovic M, Stankovic G, Stepanovic J, Saponjski J, Petrasinovic Z, Nedeljkovic S, Kanjuh V. Integrated evaluation of relation between coronary lesion features and stress echocardiography results: The importance of coronary lesion morphology. *J Am Coll Cardiol* 1999; 33, 3: 717-727.
8. Nedeljkovic M, Ostožic M, Beleslin B, Nedeljkovic I, Marinkovic J, Babic R, Stankovic G, Stojkovic S, Saponjski J, Djordjević-Dikic A, Stepanovic J, Petrasinovic Z, Vukcevic V, Nedeljkovic S, Kanjuh V. Efficiency of ergonovine echocardiography in detecting angiographically assessed coronary vasospasm. *Am J Cardiol* 2001;88:1183-1187.
9. Nedeljkovic M, Ostožic M, Beleslin B, Nedeljkovic I, Stankovic G, Stojkovic S, Saponjski J, Babic R, Vukcevic V, Ristic A, Orlic D. Dipyridamole-atropine induced myocardial infarction in a patient with patent epicardial coronary arteries. *Herz* 2001; 26(7):485-488.
10. Nedeljkovic M, Ostožic M, Beleslin B. Treatment of medically uncontrolled coronary artery vasospasm in the

normal coronary artery with coronary stenting. *J Invas Cardiol* 2002;14:633-635.

11. Petrasinovic Z, Ostoic M, Beleslin B, Pavlovic S, Sobic-Saranovic D, Djordjevic-Dikic A, Nedeljkovic I, Stojkovic S, Marinkovic J, Stepanovic J, Nedeljkovic M, Vukcevic V, Arandjelovic A, Obradovic V, Bosnjakovic V. Prognostic value of myocardial viability determined by a 201 Tl SPECT study in patients with previous myocardial infarction and mild-to-moderate myocardial dysfunction. *Nucl Med Commun* 2003;24:175-181.
12. Dekleva M, Neskovic A, Vlahovic A, Putnikovic B, Beleslin B, Ostoic M. Adjunctive effect of hyperbaric oxygen treatment after thrombolysis on left ventricular function in patients with acute myocardial infarction. *Am Heart J* 2004;148:e14.
13. Giga V, Ostoic M, Vujisic-Tesic B, Djordjevic-Dikic A, Stepanovic J, Beleslin B, Petrovic M, Nedeljkovic M, Nedeljkovic I, Milic N. Exercise-induced changes in mitral regurgitation in patients with prior myocardial infarction and left ventricular dysfunction: Relation to mitral deformation and left ventricular function and shape. *Eur Heart J* 2005; 26: 1860-1865.
14. Radosavljevic-Radovanovic M, Pokrajcic ZV, Radovanovic N, Beleslin B, Marinkovic J, Stankovic G, Kostic J, Mitrović P, Stefanovic B, Karadzic A, Ostoic M. Predictive value of biphasic response during dipyridamole echocardiography test in the low-risk group of patients after myocardial infarction. *J Am Soc Echocardiogr* 2005; 18: 1355-1361.
15. Nedeljkovic M, Ostoic M, Saito S, Seferovic P, Beleslin B, Stankovic G, Stojkovic S, Vukcevic V, Saponjski J, Orlic D, on behalf of the Workshop operators. Complex angioplasty up to chronic total occlusion. *Herz* 2006;31:1156-1164.
16. Nedeljkovic M, Ostoic M, Beleslin B, Nedeljkovic I, Milic N, Vukcevic V, Stojkovic S, Saponjski J, Orlic D, Djordjevic-Dikic A, Stepanovic J, Giga V, Petrasinovic Z, Arandjelovic A, Beleslin BZ, Kanjuh V. Ergonovine-induced changes in coronary artery diameter in patients with nonsignificant coronary artery stenosis: Relation with lipid profile. *Herz* 2007;32:329-325. M23
17. Stojkovic S, Ostoic M, Saito S, Nedeljkovic M, Beleslin B. A novel penetration device for severe stenosis or chronic total occlusion in coronary artery diseases. *Herz* 2008; 33(5):377-381.
18. Hamilos MI, Ostoic M, Beleslin B, Sagic D, Mangovski Lj, Stojkovic S, Nedeljkovic M, Orlic D, Milosavljevic B, Topic D, Karanovic N, Wijns W, on behalf of NOBORI CORE investigators. Differential effects of drug-eluting stents on local endothelium-dependent coronary vasomotion. *J Am Coll Cardiol* 2008;51:2123-2129.
19. Ostoic M, Sagic D, Jung R, Zhang YL, Nedeljkovic M, Mangoski Lj, Stojkovic S, Debeljacki D, Colic M, Beleslin B, Milosavljevic B, Orlic D, Topic D, Karanovic N, Paunovic D, Christiams U, on behalf of Nobori PK investigators. The pharmacokinetics of biolimus A9 after elution from the Nobori stent in patients with coronary artery disease: The NOBORI PK study. *Catheter Cardiovasc Interv* 2008; 72(7): 901-908.
20. Beleslin B, Ostoic M, Djordjevic-Dikic A, Vukcevic V, Stojkovic S, Nedeljkovic M, Stankovic G, Orlic D, Milic N, Stepanovic J, Giga V, Saponjski J. The value of fractional and coronary flow reserve in predicting myocardial recovery in patients with previous myocardial infarction. *Eur Heart J* 2008; 29(21): 2617-2624.
21. Pavlovic SV, Sobic-Saranovic DP, Beleslin BD, Ostoic MC, Nedeljkovic MA, Giga VL, Petrasinovic ZR, Artiko VM, Todorovic-Tirnanic MV, Obradovic VB. One-year follow-up of myocardial perfusion and function evaluated by gated SPECT MIBI in patients with earlier myocardial infarction and chronic total occlusion. *Nucl Med Commun* 2009;30:68-75.
22. Sobic-Saranovic DP, Pavlovic SV, Beleslin BD, Petrasinovic ZR, Kozarevic NDj, Todorovic-Tirnanic MV, Ille TM, Jaksic E, Artiko VM, Obradovic VB. Site of myocardial infarction and severity of perfusion abnormalities impact on poststress left ventricular function in patients with single-vessel disease: gated single-photon emission computed tomography metoxy-isobutile-isonitrile study. *Nucl Med Commun* 2009;30:148-154.

23. Vukcevic V, Beleslin B, Ostojic M, Stojkovic S, Stankovic G, Nedeljkovic M, Orlic D, Djordjevic-Dikic A, Stepanovic J, Giga V, Arandjelovic A, Dikic M, Kostic J, Nedeljkovic I, Nedeljkovic-Beleslin B, Saponjski J. Quantitative evaluation of collateral circulation in patients with previous myocardial infarction: Relation to myocardial ischemia, angiographic appearance and functional improvement of myocardium. *Int J Cardiovasc Imaging* 2009;25:353-361.
24. Nedeljkovic M, Ostojic M, Lalic N, Beleslin B, Nedeljkovic I, Lalic K, Ristic M, Giga V, Tomasevic M, Kanjuh V. Stenting and surgery for coronary spasm. The wrong solution fails to solve the problem. *Herz* 2009;34:564-566.
25. Stojkovic S, Ostojic M, Nedeljkovic M, Stankovic G, Beleslin B, Vukcevic V, Orlic D, Arandjelovic A, Kostic J, Dikic M, Tomasevic M. Sistemic rapamycin without loading dose for restenosis prevention after coronary bare metal stent implantation. *Catheter Cardiovasc Intervent* 2010; 75: 317-325.
26. Pavlovic S, Sobic-Saranovic D, Djordjevic-Dikic A, Beleslin B, Stepanovic J, Artiko V, Giga V, Petrasinovic Z, Ostojic M, Vujsic-Tesic B, Obradovic V. Comparative utility of gated myocardial perfusion imaging and transthoracic coronary flow reserve for the assessment of coronary artery disease in patients with left bundle branch block. *Nucl Med Commun* 2010;31(4):334-340.
27. Beleslin B, Dobric M, Sobic-Saranovic D, Giga V, Giga V, Stepanovic J, Djordjevic-Dikic A, Nedeljkovic M, Stojkovic S, Vukcevic V, Stankovic G, Orlic D, Petrasinovic Z, Pavlovic S, Obradovic V, Ostojic M. Fractional flow reserve and myocardial viability as assessed by SPECT perfusion scintigraphy in patients with prior myocardial infarction. *J Nucl Cardiol* 2010;17:817-824.
28. Radovanovic M, Vasiljevic Z, Radovanovic N, Marinkovic J, Beleslin B, Mitrovic P, Stankovic S, Stankovic G. B-type natriuretic peptide in outpatients after myocardial infarction: Optimized cut-off value for incident heart failure prediction. *Peptides* 2010;31:1946-1948.
29. Ostojic M, Perisic Z, Sagic D, Jung R, Zhang YL, Bendrick-Peart J, Betts R, Christains U, on behalf of the Stealth PH investigators. The pharmacokinetics of Biolimus A9 after elution from the MioMatrix II stent in patients with coronary artery disease: the Stealth PK study. *Eur J Clin Pharmacol* 2011;67:389-398.
30. Djordjevic-Dikic A, Beleslin B, Stepanovic J, Giga V, Tesic M, Dobric M, Stojkovic S, Nedeljkovic M, Vukcevic V, Dikic N, Petrasinovic Z, Nedeljkovic I, Tomasevic M, Vujsic-Tesic M, Ostojic M. Prediction of myocardial functional recovery by noninvasive evaluation of basal and hyperemic coronary flow in patients with previous myocardial infarction. *J Am Soc Echocardiogr* 2011; 24:573-81.
31. Potpara TS, Stankovic GR, Beleslin BD, Polovina MM, Marinkovic JM, Ostojic MC, Lip GY. A 12-year follow-up study of patients with newly-diagnosed lone atrial fibrillation: Implications of arrhythmia progression on prognosis: The Belgrade Atrial Fibrillation Study. *Chest* 2012;141 (2):339-347.
32. Dekleva M, Suzic Lazić M, Pavlovic Kleut M, Mazic S, Stevanovic A, Soldatovic I, Markovic Nikolic M, Beleslin B. Cardiopulmonary exercise testing and its relation to oxidative stress in patients with hypertension. *Hypertens Res* 2012;35(12):1145-1151.
33. Stojkovic S, Sianos G, Katoh O, Galassi AR, Beleslin B, Vukcevic V, Nedeljkovic M, Stankovic G, Orlic D, Dobric M, Tomasevic M, Ostojic M. Efficiency, safety, and long-term follow-up of retrograde approach for CTO recanalization: Initial (Belgrade) experience with international proctorship. *J Interv Cardiol* 2012; 25(6):540-8.
34. Stepanovic J, Ostojic M, Beleslin B, Vukovic O, Djordjevic Dikic A, Giga V, Nedeljkovic I, Nedeljkovic M, Stojkovic S, Vukcevic V, Dobric M, Petrasinovic Z, Marinkovic J, Lecic Tosevski D. Mental stress-induced ischemia in patients with coronary artery disease: Echocardiographic characteristics and relation to exercise-induced ischemia. *Psychosomatic Medicine* 2012;74:766-772.
35. Raber L, Kelbak H, Ostojic M, Baumbach A, Heg D, Tuller D, et al; COMFORTABLE AMI Trial Investigators.... Beleslin B, Orlic D, Kostic J, Vukcevic V... Effect of biolumus-eluting stents with biodegradable polymer vs bare-metal stents on cardiovascular events among patients with acute myocardial infarction: the

COMFORTABLE AMI randomized trial. JAMA 2012;308(8):777-87.

36. Giga V, Dobric M, Beleslin B, Sobic Saranovic D, Tesic M, Djordjevic Dikic A, Stepanovic J, Nedeljkovic I, Artiko V, Obradovic V, Seferovic P, Ostojic M. Estimation of infarct size using transthoracic Doppler echocardiographic measurement of coronary flow reserve in infarct related and reference coronary artery. Int J Cardiol 2013;168:169-175.)
37. Brkovic V, Dobric M, Beleslin B, Giga V, Vukcevic V, Stojkovic S, Stankovic G, Nedeljkovic M, Orlic D, Tomasevic M, Stepanovic J, Ostojic M. Additive prognostic value of the SYNTAX score over GRACE, TIMI, ZWOLLE, CADILLAC and PAMI risk scores in patients with acute ST-segment elevation myocardial infarction treated by primary percutaneous coronary intervention. Int J Cardiovasc Imaging 2013;29:1215-1228.
38. Bartunek J, Behfar A, Dolatabadi D, Vanderheyden M, Ostojic M, Dens J, El Nakadi B, Banovic M, Beleslin B, Vrolix M, Vrints C, Vanoverschelde JL, Crespo-Diaz R, Homsy C, Tendera M, Waldman S, Wijns W, Terzic A. Cardiopoietic stem cell therapy in heart failure. The C-CURE (Cardiopoietic stem Cell therapy in heart failure). Multicenter randomized trial with lineage-specified biologics. J Am Coll Cardiol 2013;61:2329-2338.
39. Tesic M, Djordjevic Dikic A, Beleslin B, Trifunovic D, Giga V, Marinkovic J, Petrovic O, Petrovic M, Stepanovic J, Dobric M, Vukcevic V, Stankovic G, Seferovic P, Ostojic M, Vujisic Tesic B. Regional difference in microcirculation in patients with asymmetric hypertrophic cardiomyopathy. Transthoracic Doppler coronary flow velocity reserve analysis. J Am Soc Echocardiogr 2013;26(7):775-82.
40. Dobric M, Giga V, Beleslin B, Ignjatovic S, Paunovic I, Stepanovic J, Djordjevic Dikic A, Kostic J, Nedeljkovic I, Nedeljkovic M, Tesic M, Dajak M, Ostojic M. Glycogen phosphorylase BB plasma kinetics is not related to myocardial ischemia induced by exercise stress echo test. Clin Chem Lab Med 2013; 51: 2029-2035.
41. Bartunek J, Behfar A, Dolatabadi D, Vanderheyden M, Ostojic M, Dens J, El Nakadi B, Banovic M, Beleslin B, Vrolix M, Legrand V, Vrints C, Vanoverschelde JL, Crespo-Diaz R, Homsy C, Tendera M, Waldman S, Wijns W, Terzic A. Reply: The C-Cure randomized clinical trial (Cardiopoietic Stem Cell Therapy in Heart Failure). J Am Coll Cardiol 2013; 62(25):2454-6.
42. Stojkovic S, Beleslin B, Nedeljkovic M, Vukcevic V, Stankovic G, Orlic D, Tomasevic M, Kostic J, Dikic M, Aleksandric S, Stepanovic J, Djordjevic Dikic A, Ostojic M. Retrograde approach for chronic total occlusion: Demystifying with experience and proctorship. Exp Clin Cardiol 2014;20(1):179-184.
43. Djordjevic Dikic A, Nikcevic G, Raspovic S, Jovanovic V, Tesic M, Beleslin B, Stepanovic J, Giga V, Milasinovic D. Prognostic role of coronary flow reserve for left ventricular functional improvement after cardiac resynchronization therapy in patients with dilated cardiomyopathy. Eur Heart J Cardiovasc Imaging 2014;15:1344-1349.
44. Trifunovic D, Stankovic S, Sobic Saranovic D, Marinkovic J, Petrovic Ma, Orlic D, Beleslin B, Vujisic Tesic B, Petrovic Mi, Nedeljkovic I, Stepanovic J, Djordjevic Dikic A, Tesic M, Djukanovic N, Petrovic O, Vasovic O, Nestorovic E, Kostic J, Ristic A, Ostojic M. Acute insulin resistance in ST-segment elevation myocardial infarction in non-diabetic patients is associated with incomplete myocardial reperfusion and impaired coronary microcirculatory function. Cardiovasc Diabetol 2014;13:73.
45. Trifunovic D, Sobic Saranovic D, Beleslin B, Stankovic S, Marinkovic J, Orlic D, Vujisic Tesic B, Petrovic Mi, Nedeljkovic I, Banovic M, Djukanovic N, Petrovic O, Petrovic Ma, Stepanovic J, Djordjevic Dikic A, Tesic M, Ostojic M. Coronary flow of infarct artery assessed by transthoracic Doppler after primary percutaneous intervention predicts infarct size. Int J Cardiovasc Imaging 2014; 30:1509-1518.
46. Trifunovic D, Stankovic S, Marinkovic J, Banovic M, Djukanovic N, Vasovic O, Vujisic Tesic B, Petrovic M, Stepanovic J, Djordjevic Dikic A, Beleslin B, Nedeljkovic I, Tesic M, Ostojic M. Oxidized low density lipoprotein and high sensitive C-reactive protein in non-diabetic, prediabetic and diabetic patients in the acute phase of the first myocardial infarction treated by primary percutaneous coronary intervention. J Med Biochem 2014;33:1-10.

47. Kostic J, Orlic D, Labudovic Borovic M, Beleslin B, Milasinovic D, Dobric M, Tesic M, Ostoja M. Coronary thrombi neovascularization in patients with ST-elevation myocardial infarction - clinical and angiographic implications. *Thrombosis Research* 2014; 134(5):1038-1045.
48. Carrie D, Schachinger V, Danzi GB, Macaya C, Zeymer U, Putnikovic B, Iniguez A, Moreno R, Mehmedbegovic Z, Beleslin B, on behalf of CARE investigators. *J Interven Cardiol* 2014;27:491-499.
49. Vukovic O, Tosevski DL, Jasovic Gasic M, Damjanovic A, Zebic M, Britvic D, Stepanovic J, Djordjevic Dikic A, Beleslin B, Ostoja M. Type D personality in patients with coronary artery disease. *Psychiatr Danub* 2014;26:46-51.
50. Barbato E, Salinger Martinovic S, Sagic D, Beleslin B, Vrolix M, Neskovic AN, Jagic N, Verheyen S, Mehmedbegovic Z, Wijns W. A first-in-man clinical evaluation of Ultimaster, a new-drug eluting coronary stent system: CENTURY study. *Eurointervention* 2015; 11(5):541-548.
51. Dobric M, Ostoja M, Giga V, Djordjevic Dikic A, Stepanovic J, Radovanovic N, Beleslin B. Glycogen phosphorylase BB in myocardial infarction. *Clinica Chimica Acta* 2015;438:107-111.
52. Dekleva M, Mazic S, Suzić Lazić J, Markovic Nikolic N, Beleslin B, Stevanovic A, Djelic M, Arandjelovic A. Left ventricular diastolic performance at rest is essential for exercise capacity in patients with non complicated myocardial infarction. *Heart and Lung* 2014, 43:500-505.
53. Orlic D, Ostoja M, Beleslin B, Milasinovic D, Tesic M, Borovic M, Vukcevic V, Stojkovic S, Nedeljkovic M, Stankovic G. The randomized physiologic assessment of thrombus aspiration in patients with acute ST-segment elevation myocardial infarction trial (PATA STEMI): Study rationale and design. *J Interven Cardiol* 2014;27:341-347.
54. Banovic M, Beleslin B, Nedeljkovic I, Stepanovic J, Nedeljkovic M, Djordjevic Dikic A, Mladenovic A, Giga V, Markovic Z, Brkovic V, Vujisic Tesic B. Asymptomatic severe aortic stenosis with normal left ventricular ejection fraction: a current perspective. *Exp Clin Cardiol* 2014; 20(8):3029-3040.
55. Trifunovic D, Stankovic S, Marinkovic J, Beleslin B, Banovic M, Djukanovic N, Orlic D, Tesic M, Vujisic Tesic B, Petrovic M, Stepanovic J, Djordjevic Dikic A, Giga V, Ostoja M. Time-dependent changes of plasma adiponectin concentrations in relation to coronary microcirculatory function in patients with acute myocardial infarction treated by primary percutaneous coronary intervention. *J Cardiol* 2015;65(3):208-215.
56. Nedeljkovic M, Beleslin B, Tesic M, Vukcevic V, Stankovic G, Stojkovic S, Orlic D, Bilbija I, Matkovic M, Simic T, Menkovic N, Mrdovic I, Ussi GP, Babic M. Percutaneous implantation of self-expandable aortic valve in high risk patients with severe aortic stenosis: First experience in Serbia. *Vojnosanit Pregl* 2015;143:
57. Kostic J, Djordjevic Dikic A, Dobric M, Milasinovic D, Nedeljkovic M, Stojkovic S, Stepanovic J, Tesic M, Trifunovic Z, Zamaklar Trifunovic D, Radosavljevic Radovanovic M, Ostoja M, Beleslin B. The effects of nicorandil on microvascular function in patients with ST segment elevation myocardial infarction undergoing primary PCI. *Cardiovascular Ultrasound* 2015;13:26. DOI 10.1186/s12947-015-0020-9.
58. Dikic M, Tesic M, Markovic Z, Giga V, Stepanovic J, Djordjevic Dikic A, Beleslin B, Jovanovic I, Mladenovic A, Seferovic J, Ostoja M, Arandjelovic A. Prognostic value of calcium score and coronary flow velocity reserve in asymptomatic diabetic patients. *Cardiovascular Ultrasound* 2015;13(1):41.
59. Banovic M, Obradovic S, Beleslin B. The stem-cell application in ischemic heart disease: Basic principles, specifics and practical experience from clinical studies. *Srp Arh Celok Lek* 2015;143(7-8):487-93.
60. Banovic M, Loncar Z, Behfar A, Vanderheyden M, Beleslin B, Zeiher A, Metra M, Terzic A, Bartunek J. Endpoints in stem cell trials in ischemic heart failure. *Stem Cell Res Ther* 2015; 6:159.
61. Nedeljkovic I, Banovic M, Stepanovic J, Giga V, Djordjevic Dikic A, Trifunovic D, Nedeljkovic M, Petrovic M,

Dobric M, Dikic N, Zlatar M, Beleslin B. The combined exercise stress echocardiography and cardiopulmonary exercise test for identification of masked heart failure with preserved ejection fraction in patients with hypertension. *Eur J Prev Cardiol* 2016; 23(1):71-77.

62. Banovic M, Iung B, Bartunek J, Asanin M, Beleslin B, Biocina B, Casselman F, da Costa M, Deja M, Gasparovic H, Kala P, Labrousse L, Loncar Z, Marinkovic J, Nedeljkovic I, Nedeljkovic M, Nemec P, Nikolic SD, Pencina M, Penicka M, Ristic A, Sharif F, Van Camp G, Vanderheyden M, Vojakovski W, Putnik S. Rationale and design of the Aortic Valve replacement versus conservative treatment in Asymptomatic severe aortic stenosis (AVATAR trial): A randomized multicenter controlled event-driven trial. *Am Heart J* 2016;174:147-153.
63. Radosavljevic-Radovanovic M, Radovanovic R, Vasiljevic Z, Marinkovic J, Mitrovic P, Mrdovic I, Stankovic S, Beleslin B, Kružliak P, Uscumlic A, Kostic J. Usefulness of NT-proBNP in the follow-up of patients after myocardial infarction. *J Med Biochemistry* 2016; 35: 158-165.
64. Banovic M, Brkovic V, Nedeljkovic I, Nedeljkovic M, Popovic D, Djordjevic Dikic A, Ristic A, Nikolic S, Beleslin B. Diabetes mellitus and coronary microvascular function in asymptomatic patients with severe aortic stenosis and nonobstructed coronary arteries. *Diab Vasc Dis Res* 2016; 13: 220-227.
65. Ciampi Q, Olivotto I, Gardini C, Mori F, Peteiro J, Monserrat L, Fernandez X, Cortigiani L, Rigo F, Lopes LR, Cruz I, Cotrim C, Losi M, Betocchi S, Beleslin B, Tesic M, Djordjevic Dikic A, Lazzeroni E, lazzeroni D, Sicari R, Picano E. Prognostic role of stress echocardiography in hypertrophic cardiomyopathy: The international stress echo registry. *Int J Cardiol* 2016;219:331-338.
66. Aleksandric S, Djordjevic Dikic A, Beleslin B, Parapid B, Teofilovska Parapid G, Stepanovic J, Simic D, Nedeljkovic I, Petrovic M, Dobric M, Tomasevic M, Banovic M, Nedeljkovic M, Ostoja M. Noninvasive assessment of myocardial bridging by coronary flow velocity reserve with transthoracic Doppler echocardiography: vasodilator vs. Inotropic stimulation. *Int J Cardiol* 2016;225: 37-45.
67. Avramovic D, Kovacevic V, Milic N, Ristic A, Ostoja M, Beleslin B. Prevalence of high on-treatment platelet reactivity in patients after percutaneous coronary intervention. *Hell J Cardiol* 2016;57:282-285.
68. Bartunek J, Terzic A, Davison BA, Filippatos GA, Radovanovic S, Beleslin B, Merkely B, Musilaek P, Wojakowsky W, Andreka P, Horwath IG, Katz A, Dolatabadi D, El Nakadi B, Arandjelovic A, Edes I, Seferovic PM, Obradovic S, Vandehyden M, Jagic N, Petrov I, Atar S, Halabi M, Gelev VL, Shochat M, Kasprzak JD, Sanz-Ruiz M, Heyndrix GR, Nyolczas N, Legrand V, Guedes A, Heyse A, Moccetti T, Fernandes-Aviles F, Jimenez-Quevedo P, Bayes-Genis A, Hernandez-Garcia JM, Ribichini F, Gruchala M, Waldman SA, Teerlink JM, Gersh BJ, Povsic TJ, Henry TD, Metra M, Hajjar RJ, Tendera M, Behfar A, Alexandre B, Seron A, Stough WG, Sherman W, Cotter G, Wijns W, for the CHART program. Cardiopoietic cell therapy for advanced ischemic heart failure: results at 39 week of the prospective, randomized, double blind, sham-controlled CHART-1 clinical trial. *Eur Heart J* 2017;38:648-660.
69. Spiroski D, Andjic M, Ilic Stojanovic O, Lazovic M, Djordjevic Dikic A, Ostoja M, Beleslin B, Kostic S, Zdravkovic M, Lovic D. Very short/short-term benefit of inpatient/outpatient cardiac rehabilitation programs after coronary artery bypass grafting surgery. *Clinical Cardiology* 2017;DOI 10.1002/clc.22656.
70. Picano E, Ciampi Q, Citro R, D'Andrea A, Scali MC, Cortigiani L, Olivotto I, Mori F, Galderisi M, Constatino MF, Pratali L, Di Salvo G, Bossone E, Ferrara F, Gargani L, Rigo F, Gaibazzi N, Limongelli G, Pacileo G, Andreassi MG, Pinamonti B, Massa L, Torres MAR, Miglioranza MH, Daros CB, Pretto J, Beleslin B, Djordjevic Dikic A, Varga A, Palinkas A, Agoston G, Gregori D, Trambaiolo P, Severino S, Arystan A, Paterni M, Carpeggiani C, Colonna P. Stress echo 2020: the international stress echo study in ischemic and non-ischemic heart disease. *Cardiovasc Ultrasound* 2017;15:3.
71. Tesic M, Seferovic J, Trifunovic D, Djordjevic-Dikic A, Giga V, Jovanovic I, Petrovic O, Marinkovic J, Stankovic S, Stepanovic J, Ristic A, Petrovic M, Mujovic N, Vujisic Tesic B, Beleslin B, Vukcevic V, Stankovic G, Seferovic P. N-terminal pro-brain natriuretic peptide is related with coronary flow velocity reserve and diastolic dysfunction in patients with asymmetric hypertrophic cardiomyopathy. *J Cardiol* 2017; 70:323-328.

72. Nedeljkovic M, Beleslin B, Tešić M, Vujisić Tešić M, Vukčević V, Stanković G, Stojković S, Orlić D, Potpara T, Mujović N, Marinković M, Petrović O, Grygier M, Protopopov AV, Kanjuh V, Ašanin M. Left atrial appendage closure with Watchman device in prevention of thromboembolic complications in patients with atrial fibrillation: First experience in Serbia. *Vojnosanit Pregl* 2017;74:378-385 DOI: 10.2298/VSP160205202N
73. Beleslin B. New developments, treatment options and possible complication in complex coronary artery disease, structural and congenital heart disease and heart failure. *Serb Arch Med* 2017; 562-563. DOI: <https://doi.org/10.2298/SARH170717151B>
74. Al-Nooryani A, Elabbassi W, Markovic M, Dobric M, Beleslin B. Robotic-assisted complete functional myocardial revascularization using bioresorbable vascular scaffolds. *Intervent Cardiol J* 2015;1:5.
75. Ruzicic D, Dobric M, Vukovic D, Hrbacic D, Djordjevic S, Ruzicic M, Aleksandric S, Djordjevic Dikic A, Beleslin B. The correlation of SYNTAX score by coronary angiography with breast arterial calcification by digital mammography. *Clin Radiol* 2018;5:454-459.
76. Tesic M, Djordjevic Dikic A, Giga V, Stepanovic J, Dobric M, Jovanovic I, Petrovic M, Mehmedbegovic Z, Milasinovic D, Dedovic V, Zivkovic M, Juricic S, Orlic D, Stojkovic S, Vukcevic V, Stankovic G, Nedeljkovic M, Ostojic M, Beleslin B. Prognostic value of transthoracic Doppler echocardiography coronary flow velocity reserve in patients with non-culprit stenosis of intermediate severity early after primary oercutaneous coronary intervention. *J Am Soc Echocardiogr* 2018;31:880-887.
77. Scali MC, Ciampi Q, Picano E, Bossone E, Ferrara F, Citro R, Colonna P, Costantino MF, Cortigiani L, Andrea A, Severino S, Dodi C, Gaibazzi N, Galderisi M, Barbieri A, Monte I, Mori F, Reisenhofer B, Re F, Rigo F, Trambaiolo P, Amor M, Lowenstein J, Merlo PM, Daros CB, de Castro E Silva Pretto JL, Miglioranza MH, Torres MAR, de Azevedo Bellagamba CC, Chaves DQ, Simova I, Varga A, Čelutkienė J, Kasprzak JD, Wierzbowska-Drabik K, Lipiec P, Weiner-Mik P, Szymczyk E, Wdowiak-Okojek K, Djordjevic-Dikic A, Dekleva M, Stankovic I, Neskovic AN, Zagatina A, Di Salvo G, Perez JE, Camarozano AC, Corciu AI, Boshchenko A, Lattanzi F, Cotrim C, Fazendas P, Haberka M, Sobkowic B, Kosmala W, Witkowski T, Gosciniak P, Salustri A, Rodriguez-Zanella H, Leal LIM, Nikolic A, Gligorova S, Urluescu ML, Fiorino M, Novo G, Preradovic-Kovacevic T, Ostojic M, Beleslin B, Villari B, De Nes M, Paterni M, Carpeggiani C; Stress Echo 2020 study group of the Italian Society of Echocardiography and Cardiovascular Imaging (SIECVI). Quality control of B-lines analysis in stress echo 2020. *Cardiovasc Ultrasound* 2018;16:20. doi: 10.1186/s12947-018-0138-7.
78. Stojkovic S, Juricic S, Dobric M, Nedeljkovic MA, Vukcevic V, Orlic D, Stankovic G, Tomasevic M, Aleksandric S, Dikic M, Tesic M, Mehmedbegovic Z, Boskovic N, Zivkovic M, Dedovic V, Milasinovic D, Ostojic M, Beleslin B. Improved propensity-score matched long-term clinical outcomes in patients with successful percutaneous coronary interventions of coronary chronic total occlusion. *Int Heart J* 2018;59:719-726.
79. Sherman W, Bartunek J, Dolatabadi D, Sanz-Ruiz R, Beleslin B, Wojakowski W, Heyndrickx G, Kimpalou JZ, Waldman SA, Laarman GJ, Seron A, Behfar A, Latere JP, Terzic A, Wijns W; CHART Program. First-in-human use of a retention-enhanced catheter for endomyocardial cell delivery. *JACC Cardiovasc Interv* 2018;11:412-414. M21a
80. Al-Nooryani A, Abdalla GA, Ghafar TA, Bhatia A, Beleslin B. Implantation of vascular scaffold for the treatment of pudendal artery stenosis and erectile dysfunction. *Andrologia* 2019;51: e13153 DOI: 10.1111/and.13153
81. Al-Nooryani A, Elabbassi WN, AlBaba B, Kerfes JA, Abudaqa LM, Bhatia A, Abdelrahman NA, Boskovic N, Beleslin B. Long-term outcome of first 300 implanted Absorb bioresorbable vascular scaffolds in all-comers Middle east population. *J Int Med Res* 2019; 47:173-187 DOI: 10.1177/0300060518798994
82. Djordjevic Dikic A, Tesic M, Boskovic N, Giga V, Stepanovic J, Petrovic M, Dobric M, Aleksandric S, Juricic S, Dikic M, Nedeljkovic I, Nedeljkovic M, Ostojic M, Beleslin B. Prognostic value of preserved coronary flow velocity reserve by noninvasive transthoracic Doppler echocardiography in patients with angiographically

intermediate left main stenosis. *J Am Soc Echocardiogr* 2019;32:74-80 <https://doi.org/10.1016/j.echo.2018.09>

83. Jovanovic I, Tesic M, Giga V, Dobric M, Boskovic N, Vratonjic J, Orlic D, Gudelj O, Tomasevic M, Dikic M, Nedeljkovic I, Trifunovic D, Nedeljkovic MA, Dedic S, Beleslin B, Djordjevic Dikic A. Impairment of coronary flow velocity reserve and global longitudinal strain in women with cardiac syndrome X and slow coronary flow. *J Cardiol* 2020;76(1):1-8.; <https://doi.org/10.1016/j.jcc.2020.02.005>
84. Maron DJ, Hochman JS, Reynolds HR, Bangalore S, O'Brien SM, Boden WE, Chaitman BR, Senior R, López-Sendón J, Alexander KP, Lopes RD, Shaw LJ, Berger JS, Newman JD, Sidhu MS, Goodman SG, Ruzylo W, Gosselin G, Maggioni AP, White HD, Bhargava B, Min JK, Mancini GBJ, Berman DS, Picard MH, Kwong RY, Ali ZA, Mark DB, Spertus JA, Krishnan MN, Elghamaz A, Moorthy N, Hueb WA, Demkow M, Mavromatis K, Bockeria O, Peteiro J, Miller TD, Szwed H, Doerr R, Keltai M, Selvanayagam JB, Steg PG, Held C, Kohsaka S, Mavromichalis S, Kirby R, Jeffries NO, Harrell FE Jr, Rockhold FW, Broderick S, Ferguson TB Jr, Williams DO, Harrington RA, Stone GW, Rosenberg Y; ISCHEMIA Research Group. Initail invasive or conservative strategy for stable coronary artery disease. *N Engl J Med* 2020;382:1395-1407.
85. Spertus JA, Jones PG, Maron DJ, O'Brien SM, Reynolds HR, Rosenberg Y, Stone GW, Harrell FE Jr, Boden WE, Weintraub WS, Baloch K, Mavromatis K, Diaz A, Gosselin G, Newman JD, Mavromichalis S, Alexander KP, Cohen DJ, Bangalore S, Hochman JS, Mark DB; ISCHEMIA Research Group. Ischemia quality. Health-status outcomes with invasive or conservative care in coronary disease. *N Engl J Med* 2020;382:1408-1419.
86. Bangalore S, Maron DJ, O'Brien SM, Fleg JL, Kretov EI, Briguori C, Kaul U, Reynolds HR, Mazurek T, Sidhu MS, Berger JS, Mathew RO, Bockeria O, Broderick S, Pracon R, Herzog CA, Huang Z, Stone GW, Boden WE, Newman JD, Ali ZA, Mark DB, Spertus JA, Alexander KP, Chaitman BR, Chertow GM, Hochman JS; ISCHEMIA-CKD Research Group. Management of coronary disease in patients with advanced kidney disease. *N Engl J Med* 2020;382:1608-1618.
87. Spertus JA, Jones PG, Maron DJ, Mark DB, O'Brien SM, Fleg JL, Reynolds HR, Stone GW, Sidhu MS, Chaitman BR, Chertow GM, Hochman JS, Bangalore S; ISCHEMIA-CKD Research Group. Health status after invasive or conservative care in coronary and advanced kidney disease. *N Engl J Med* 2020;382:1619-1628.
88. Scali MC, Zagatina A, Qiampi C, Cortigiani L, D'Andrea A, Borguezan Daros C, Zhuravskaya N, Kasprzak JD, Wierzbowska-Drabik K, de Castro e Silva Preto JL, Djordjevic Dikic A, Beleslin B, ... on behalf of the Stress Echo 2020 Study Group of the Italiuan Society of Echocardiography and Cardiovascular Imaging. Lung ultrasound and pulmonary congestion during stress echocardiography. *JACC Cardiovasc Imaging* 2020;13:2085-2095. doi: [10.1016/j.jcmg.2020.04.020](https://doi.org/10.1016/j.jcmg.2020.04.020).
89. Picano E, Qiampi C, Cortigiani L, ... Beleslin B, ... on behalf of The Stress Echo 2030 Study Group of the Italiuan Society of Echocardiography and Cardiovascular Imaging (SIECVI). Stress echo 2030: the novel ABCDE-(FGLRP) protocol to define the future of imaging. *J Clin Med* 2021;10(16):3641. doi: [10.3390/jcm10163641](https://doi.org/10.3390/jcm10163641)
90. Petrovic M, Djordjevic Dikic A, Giga V, Boskovic N, Vukcevic V, Cvetic V, Mladenovic A, Radmili O, Markovic Z, Dobric M, Aleksandric S, Tesic M, Juricic S, Nedeljkovic Beleslin B, Stojkovic S, Ostojic MC, Beleslin B, Picano E. The Coronary ARteriogenesis with combined Heparin and EXercise therapy in chronic refractory Angina (CARHEXA) trial: A double-blind, randomized, placebo-controlled stress echocardiographic study. *Eur J Prevent Cardiol* 2021;28:1452-1459. doi: [10.1177/2047487320915661](https://doi.org/10.1177/2047487320915661)
91. Tesic M, Beleslin B, Giga V, Jovanovic I, Marinkovic J, Trifunovic D, Petrovic O, Dobric M, Aleksandric S, Juricic S, Boskovic N, Tomasevic M, Ristic A, orlic D, Stojkovic S, Vukcevic V, Stankovic G, Ostojic M, Djordjevic Dikic A. Prognostic value of transthoracic Doppler echocardiography coronary flow velocity reserve in patients with assymetric hypertrophic cardiomyopathy. *J Am Heart Assoc* 2021;10:e021936. DOI: [10.1161/JAHA.120.021936](https://doi.org/10.1161/JAHA.120.021936)
92. Juricic SA, Tesic MB, Galassi AR, Petrovic ON, Dobric MR, Orlic DN, Vukcevic VD, Stankovic GR, Aleksandric SB, Tomasevic MV, Nedeljkovic MA, Beleslin BD, Jelic DD, Ostojic MC, Stojkovic SM. Randomized controlled comparison of optimal medical therapy with percutaneous recanalization of chronic total occlusion

(COMET CTO). Int Heart J 2021;62:16-22. doi: 10.1536/ihj.20-427

93. Aleksandric SB, Djordjevic Dikic AD, Dobric MR, Giga VL, Soldatovic IA, Vukcevic V, Tomasevic MV, Stojkovic SM, Orlic DN, Saponjski JD, Tesic MB, Banovic MD, Petrovic MT, Juricic SA, Nedeljkovic MA, Stankovic G, Ostoja MC, Beleslin BD. Functional assessment of myocardial bridging with conventional and diastolic fractional flow reserve: vasodilator versus inotropic provocation. J Am Heart Assoc 2021;10:e020597. doi.org/10.1161/JAHA.120.020597
94. Ciampi Q, Zagatina A, Coretigiani L, Wierzbowska-Drabik K, Kasprzak J, Haberka M, Djordjevic Dikic A, Beleslin B, Boshcneko A, Ryabova T, Gaibazzi N, Rigo F, Dodi C, Simova I, Samardjieva M, Barbieri A, Morrone D, Lorenzoni V, Prota C, Villari B, Antonini-Canterin F, Pepi M, Carpeggiani C, Pellikka P, Picano E, on behalf of the Stress Echo 2020 Study Group of the Italian Society of Echocardiography and Cardiovascular Imaging (SIECVI). Prognostic value of stress echocardiography assessed by the ABCDE protocol. Eur Heart J 2021;42:3869-3878. doi: 10.1093/eurheartj/ehab493
95. Morrone D, Arbucci R, Wierzbowska-Drabik K, Ciampi Q, Peteriro R, Agoston G, Varga A, Camorozano AC, Boshcneko A, Ryabova T, Dekleva M, Simova I, Lowenstein Habed DM, Tesic M, Boskovic N, Djordjevic Dikic A, Beleslin B, ... Picano E, on behalf of the Stress Echo 2020 Study Group of the Italian Society of Echocardiography and Cardiovascular Imaging. Feasibility and functional correlates of left atrial volume changes during stress echocardiography in chronic coronary syndrome. In J Cardiovasc Img 2021;37:953-964 doi.org/10.1007/s10554-020-02071-5.
96. Nedeljkovic I, Giga V, Ostoja MC, Djordjevic Dikic A, Stojemnovic T, Nikolic I, Dikic N, Nedeljkovic Arsenovic O, Maksimovic R, Dobric M, Mujovic N, Beleslin B. Focal myocarditis after mild COVID-19 infection in athletes. Diagnostics 2021;11(8):1519. doi.org/10.3390/diagnostics11081519
97. Bombardini T, Zagatina A, Ciampi Q, Arbucci R, Merlo PM, Lowenstein Haber DM, Morrone D, D'Andrea A, Djordjevic Dikic A, Beleslin B, Tesic M, Boskovic N, Giga V, de Castro Silva Preto JL, Daros Borgouzan C, Amor M, Mosto H, Salame M, Monte I... Picano E, on behalf of the Stress Echo 2020 Study Group of the Italian Society of Echocardiography and Cardiovascular Imaging. Hemodynamic heterogeneity of reduced cardiac reserve unmasked by volumetric exercise echocardiography. J Clin Med 2021;10(13):2906. doi.org/10.3390/jcm10132906
98. Aleksandric SB, Djordjevic Dikic AD, Giga VL, Tesic MB, Soldatovic IA, Banovic MB, Dobric MR, Vukcevic V, Tomasevic MV, Orlic DN, Boskovic N, Jovanovic I, Nedeljkovic MA, Stankovic G, Ostoja MC, Beleslin BD. Coronary flow velocity reserve using dobutamine test for noninvasive functional assessment of myocardial bridging. J Clin Med 2022; 11:204. https://doi.org/10.3390/jcm11010204
99. Al Nooryani A, Aboushokka W, AlBaba B, Kefres J, Abudaqa L, Bhatia A, Mansoor A, Nageeb R, Aleksandric S, Beleslin B. Long-term performance of the Magmaris drug-eluting bioresorbable metallic scaffold in all-comers patients' population. J Clin Med 2022; 11:3726. https://doi.org/10.3390/jcm11133726
100. Aleksandric S, Banovic M, Beleslin B. Challenges in diagnosis and functional assessment of coronary artery disease in patients with severe aortic stenosis. Front Cardiovasc Med 2022;9:849032. doi: 10.3389/fcvm.2022.849032
101. Jovanovic I, Tesic M, Djordjevic Dikic A, Giga V, Beleslin B, Aleksandric S, Boskovic N, Petrovic O, Marjanovic M, Vratonjic J, Paunovic I, Ivanovic B, Trifunovic Zamaklar D. Role of different echocardiographic modalities in the assessment of microvascular function in women with ischemia and no obstructive coronary arteries. J Clin Ultrasound 2022;50:1134-1142. DOI: 10.1002/jcu.23313
102. Juricic SA, Stojkovic SM, Galassi AR, Stankovic GR, Orlic DN, Vukcevic VD, Milasinovic DG, Aleksandric SB, Tomasevic MV, Dorbic MR, Nedeljkovic MA, Beleslin BD, Dikic MP, Banovic MD, Ostoja MC, Tesic MB. Long-term follow-up of patients with chronic total coronary artery occlusion previously randomized to treatment with optimal drug therapy or percutaneous revascularization of chronic total occlusion (COMET-CTO). Front Cardiovasc Med 2022;9:1014664. doi.org/10.3389/fcvm.2022.1014664

103. Palinkas ED, Re F, Peteriro J, Tesic M, Palinkas A, Rodrigues Torres MA, Djordjevic Dikic A, Beleslin B, Van de Heyning CM, Mori F, Ciampi Q, de Castro Silva Preto JL, Simova I, Nagy V, Boda K, Sepp R, Olivotto I, Pellikka P, Picano E. Pulmonary congestion during exercise stress echocardiography in hypertrophic cardiomyopathy. *Int J Cardiovasc Img* 2022;38:2593-2604. DOI: 10.1007/s10554-022-02620-0
104. Stojkovic M, Nedeljkovic Beleslin B, Tesic M, Bukumiric Z, Cric J, Stojanovic M, Miletic M, Djordjevic Dikic A, Giga V, Beleslin B, Zarkovic M. Specific impact of cardiovascular risk factors on coronary microcirculation in patients with subclinical hypothyroidism. *J Med Biochem* 2022;41(3):299-305. doi: 10.5937/jomb0-34545
105. Fearon W, Zimmermann FM, De Bruyne B, et al; FAME 3 Investigators. Fractional flow reserve guided PCI as compared with coronary bypass surgery. *N Engl J Med* 2022;386(2):128-137. M21a (158.5:2=79.25)
106. Zimmermann FM, Ding VY, Pijls NHJ, et al on behalf of the FAME 3 investigators. Fractional flow reserve guided PCI od coronary artery bypass surgery for 3-vessel coronary artery disease: 3-year follow-up of the FAME 3 trial. *Circulation* 2023;148:950-958. M21a (37.8:2=18.9)
107. Tesic M, Travica L, Giga V, Jovanovic I, Trifunovic Zamklar D, Popovic D, Mladenovic Dj, Radomirovic M, Vratonjic J, Boskovic N, Dedic S, Nedeljkovic Arsenovic O, Aleksandric S, Juricic S, Beleslin B, Djordjevic Dikic A. Prognostic value of mitral regurgitation in patients with primary hypertrophic cardiomyopathy. *Medicina* 2023;59:1798. doi.org/10.3390/medicina59101798
108. Mehmedbegovic Z, Ivanov I, Cankovic M, Perisic Z, Kostic M, Maricic B, Krljanac G, Beleslin B, Apostolovic S. Invasive imaging modalities in a sponatenous coronary artery dissection: when “believing is seeing”. *Front Cardiovasc Med* 2023;10:1270259. doi.org/10.3389/fcvm.2023.1270259
109. Giga V, Tesic M, Beleslin B, Boskovic N, Sobic Saranovic D, Jovanovic I, Nedeljkovic I, Paunovic I, Dedic S, Djordjevic Dikic A. Predictors of diastolic deceleration time of coronary velocity of infarct related and reference coronary artery assessed by transthoracic Doppler echocardiography in the chronic phase of successfully reperfused anterior myocardial infarction: relation to infarct size. *Front Cardiovasc Med* 2023;10:1196206. doi.org/10.3389/fcvm.2023.1196206
110. Giga V, Boskovic N, Djordjevic Dikic A, Beleslin B, Nedeljkovic I, Stankovic G, Tesic M, Jovanovic I, Paunovic I, Aleksandric A. Heart rate recovery as a predictor of long-term adverse events after negative exercise testing in patients with chest pain and pre-test probability of coronary artery disease from 15% to 65%. *Diagnostics* 2023;13:2229. doi.org/10.3390/diagnostics13132229
111. Hochman JS, Anthopolos R, Reynolds HR, et al; ISCHEMIA-EXTEND Research Group. Survival after invasive or conservative management of stable coronary disease. *Circulation* 2023;147(1):8-19.
112. Stanojevic D, Apostolovic S, Kostic M, Mitov V, Kutlesic Kurtovic D, Kovacevic M, Stanojevic J, Milutinovic S, Beleslin B. A review on the risk and precipitating factors for spontaneous coronary artery dissection. *Front Cardiovasc Med* 2023; 10: DOI 10.3389/fcvm.2023.1273301 M22
113. Al Nooryani A, Aboushokka W, Beleslin B, Nedeljkovic Beleslin B. Deferred revascularization in diabetic patient according to combined functional and intravascular imaging data: A case report. *World J Clin Cases* 2024;12(13): DOI: 10.12998/wjcc.v12.i13.2269
114. El Farissi M, Pijls NHJ, Good R, Engstrom T, Keeble TR, Beleslin B, De Bruyne B, Frobert O, Erlinge D, Teeuwen K, Eerdekkens R, Demandt JPA, Mangion K, Lomborg J, Setz-Pels W, Karamasis G, Wijnbergen IF, Vlaar PJ, De Vos A, Brueren GFR, Oldroyd K, Berry C, Tonino PAL, van 't Veer M, Otterspoor LC. A randomized trial of selective intracoronary hypothermia during primary PCI. *EuroIntervention* 2024;20(12). DOI: 10.4244/EIJ-D-23-01042
115. Nedeljkovic Beleslin B, Al Nooryani A, Beleslin B. Cardiovascular imaging for coronary artery disease in patients with diabetes. *J Clin Med* 2024; DOI: 10.3390/jcm13133658

116. Apostolovic S, Aleksandric S, Beleslin B. Spontaneous coronary artery dissection: Contemporary diagnosis with implications for therapeutic strategies. *Front Cardiovasc Med* 2024;11:1455983.
doi: 10.3389/fcvm.2024.1455983

117. Aleksandric S, Beleslin B. Editorial comment: SYNTAX score II 2020 as a tool for decision making on revascularization strategy in high-risk patients with complex coronary artery disease. *Catheter Cardiovasc Interv* 2024;103:680–681. DOI: 10.1002/ccd.30974